





QUICK-STEP®
FLOOR DESIGNERS



Timber

COLLECTION 2018 - 2019
AUSTRALIA

The start of something beautiful



VAR3446H



PAL3842



PAL4117





Welcome

- 04 Discover our passion for wood
- 06 Authentic beauty meets easy living
- 08 Authentic beauty that lasts a life time

Collection

- 10 Create your own living space
- 14 Let us guide you to the perfect floor
- 16 Range overview
- 18 The details make the difference
- 20 Discover the full timber collection

Installation

- 24 Install your floor without a hassle
- 25 Underlay is not an idle luxury

Finishing

- 26 Finish beautifully

Maintenance

- 28 Keep your floor in top condition

Matching accessories guide

Cover photo PAL3562




Discover our passion for...




nature

Most of our floors are PEFC certified, which endorses our use of sustainably managed forests.



natural knots

Some of our floors have knots that are only partially filled, others have knots that are sanded by hand. All this is done to emphasize the natural beauty of the wood.



design

We aim for the perfect balance between the type of wood, grading, colour, structure, finishing and plank size.



authenticity

By using different treatment techniques such as fuming and special staining, each plank has a unique colour. Thanks to these treatments, we create a lively colour variation between the planks. These effects bring the authentic character of nature into your home.



artisan characteristics

Saw cuts are tangible evidence of pure craftsmanship. The manually applied saw cuts vary both in depth, width and frequency. Not a single plank is identical!

craftsmanship

A Variano plank consists of multiple small boards and is composed by hand, with an eye for detail.

details

Our reclaimed look of Quick-Step Variano shows saw cuts, height differences and small gaps.

perfect finishing

Some of our floors look as matte as untreated wood, and are also easy to maintain.

wooden textures

A brushed finish accentuates the natural grain of the wood and creates an extra authentic feel.

Authentic beauty meets easy living



Maximum pleasure, easy maintenance



All Quick-Step timber floors are finished with an advanced lacquer to give your floor added resistance to wear, marks and scratches. The new water-repellent Protect+ technology also helps to prevent water from penetrating between joints of your floor as this often makes joints look tired or stained. This helps to keep the joints between the planks looking as good as new. Thanks to the unique combination of this new technology and our authentic floor designs, you will be able to enjoy your floor's beauty for years to come.



NEW Protect+

With Quick-Step's unique Protect+ technology, your floor will look better for longer. Find out more on p. 8-9.

Quick-Step Timber, the beauty of nature



Welcome the beauty of nature into your home by choosing a 100% real timber floor from Quick-Step. With a wide choice of different plank sizes and natural colors, you will find the perfect floor for your style and interior. We pay extra attention to the knots, grain and colour of the planks so you get to enjoy the warmth of a handcrafted wooden floor.



A perfectly installed floor is just a few clicks away

A timber floor that's easy to install? Quick-Step makes it possible. Whether you decide to do it yourself or have it done by a professional, your new floor can be installed in no time, thanks to the Uniclic® Multifit system. This click system enables you to click the planks together, using three different methods. Visit www.quick-step.com.au for more information.

Another great advantage of Quick-Step timber floors: there's no need for post-installation work in order to start living on your floor. No sanding, no dust, no varnishing, oiling or painting. As soon as your Quick-Step Timber floor is installed, it's yours to enjoy for years to come.



How to install your timber floor

Installing a Quick-Step Timber floor is very easy. Let us help you out with our installation videos at bit.ly/ytquickstep



Authentic beauty that lasts a lifetime

If you're opting for a wooden floor, you'll want to retain its authentic beauty for as long as you can. Timber floors from Quick-Step have been designed with exactly this in mind!

High-quality lacquer finish

Sliding chairs, high heels, kids... Floors go through a lot. That's why Quick-Step timber floors have an additional, high-quality protective layer of lacquer. Whether you opt for the light glossy or typical matte look of untreated wood, your floor will be better protected against wear and tear, marks and scratches.



NEW Unique, water-repellent bevel technology Protect+



Spilled something? No need to panic! Maintaining your timber floor has never been so easy. Quick-Step Timber floors feature a unique, water-repellent technology in the form of Protect+. There's no need to worry if you spill something or while cleaning, as Protect+ stops fluids from penetrating and staining the edges of planks, keeping the joints between the planks clean and looking fresh for years to come.



Looking for a floor that is easy to maintain? A Quick-Step Timber floor is just what you're looking for.



WITH PROTECT+ TECHNOLOGY



WITHOUT PROTECT+ TECHNOLOGY

Create your own living space

A beautiful interior starts with a good foundation. Whatever your style, whatever your room, Quick-Step has the right floor: from light, sleek floors to warm brown classics and even reclaimed floors with knots and cracks.



Wouldn't it be great if you could try out several floors first before making a final decision? With the online 'RoomViewer' tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one. Simply upload a photo of the area to be installed and virtually install any of our floors into your own home!


Try it out now!
Launch the RoomViewer at
www.quick-step.com.au



GMRF18BBTSP



VAR3445H



PAL3562



Did you know that Quick-Step Timber floors have **an abrasion resistance greater** than most of the competition? This is achieved through the high quality of our specially designed European lacquer and its unique application.



COM3846



PAL4118



COM3850



Let us guide you to the perfect floor

Choosing a new floor can raise a lot of questions: which colour should I go for? Which floor matches my style and my interior? Check out our FloorExplorer and RoomViewer online – we will help you make up your mind.



PAL4117

FLOOR EXPLORER

3 EASY STEPS TO FIND YOUR PERFECT FLOOR

With so many flooring options to choose from, making the right decision can be a challenge. That's why we have introduced the online FloorExplorer tool: in three simple steps, you will get a selection of floors that perfectly match your personal needs and style.



Why not give it a try?
Enter the FloorExplorer at
www.quick-step.com.au

1 SELECT A ROOM



2 CHOOSE A COLOUR



3 DEFINE YOUR STYLE



ROOM VIEWER

GET A PREVIEW OF YOUR FAVOURITE FLOORS

Wouldn't it be great if you could try out several floors first before making a final decision? Or even preview them in your own interior? With the online RoomViewer tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one.



Try it out now!
Launch the RoomViewer at
www.quick-step.com.au



DISCOVER YOUR PERFECT FLOOR ON WWW.QUICK-STEP.COM.AU

Range overview

dimensions

READYFLOR XL

1 strip

220 x 18.6 cm

READYFLOR - AUSTRALIAN

1 strip

182 x 13.4 cm

READYFLOR - INTERNATIONAL

1 strip

182 x 14.5 cm

READYFLOR

2 strip

182 x 18.6 cm

READYFLOR

3 strip

220 x 19 cm

PALAZZO

1 strip

182 x 19 cm

VARIANO

multistrip (styles may vary)

220 x 19 cm


COMPACT

1 strip

182 x 14.5 cm

182 x 13 cm

Product build-up



- High quality lacquer finish
- Solid hardwood face layer
- Plantation hardwood Hevea core (Compact range: HDF)
- Plantation Nordic spruce backing

thickness	grooves	build-up	pack	warranty
≍ 14 mm		 nominal 3 mm	6 x  = 2.455 m ² *	 
≍ 14 mm		 nominal 3 mm	6 x  = 1.464 m ² *	 
≍ 14 mm		 nominal 3 mm	6 x  = 1.583 m ² *	 
≍ 14 mm		 nominal 3 mm	6 x  = 2.031 m ²	 
≍ 14 mm		 nominal 3 mm	6 x  = 2.508 m ² *	 
≍ 14 mm		 nominal 3 mm	6 x  = 2.075 m ² *	 
≍ 14 mm		 nominal 3 mm	6 x  = 2.508 m ² *	 
≍ 12.5 mm		 nominal 2.5 mm	6 x  = 1.583 m ² /1.419 m ² **	 

Please note: Many 1 strip products feature shorter boards. At Quick-Step, we know that when you want a stunning 1 strip floor, you don't want it full of short boards, that's why we minimise our short boards ratio lower than almost every other brand to give you the look you deserve. Our balance of short boards adds authenticity to your floors. This costs a little more, but looks so much better. Another great reason to buy a Quick-Step floor.

* up to 4 shorter boards per pack
** up to 6 shorter boards per pack

MATCHING ACCESSORIES 

LIFETIME DOMESTIC WARRANTY 

UNICLIC MULTIFIT PATENTED TECHNOLOGY 

PEFC 

All timber ranges are PEFC certified, except ReadyFlor, which is sourced from sustainable forestry

The details make the difference

Each timber floor has its own story and a unique look and feel. The Quick-Step designers carefully select the structure, treatment, finishing and bevel, perfectly in line with the character of each floor design.

Types of wood



Blackbutt

Blackbutt is an Australian hardwood with excellent hardness. It may contain prominent gum veins, insect marks as well as some fine surface cracks. Not recommended with heated subfloors



Tasmanian Oak

Tasmanian Oak is a blend of pink/straw coloured hardwood species of moderate hardness from Tasmania. Some small surface splits or surface checks are an occasional characteristic of Tasmanian Oak.



Spotted Gum

Spotted Gum is an Australian hardwood with wide colour variation and excellent hardness. It may contain some fine surface cracks. This wood species is not recommended with heated subfloors.



Sydney Blue Gum

Sydney Blue Gum is an Australian hardwood with wide colour variation and excellent hardness.



Jarrah

Jarrah is a very durable hardwood from WA, which ranges in colour from pale pink/grey to deep reds. It will darken, turning a deeper red and more uniform in colour.



Oak

Oak is the most popular hardwood flooring product in the world. It ranges in colour from pale straw to mid brown and offers distinctive and desirable grain patterns.



Merbau

Merbau is a reddish brown hardwood of excellent durability from South East Asia. It often contains a small yellowish fleck in the grain.

*Hardness Janka rating



The rating is a measure of the resistance of the wood to indentation. The higher the number, the more indentation resistant the timber.

Finishing

All Quick-Step Timber floors are prefinished in the factory, which means no oiling or lacquering is needed directly after installation.

Lacquered finish

Extra matt

Matt

Low Sheen

Gloss

- 7 layers of protective lacquer.
- Highly scratch and wear resistant.
- Protects against household chemicals.
- Easy to clean wooden floor.



Extra matt finish **NEW**

The extra matt lacquer finish combines the look of an untreated floor with the advantages of a lacquered floor.

Grading

All Australian wood varieties are graded as per AS2796 Standard and better. This grade includes knots, gum veins, fine cracks, and other natural features of Australian Eucalyptus. For oak we have a unique grading system that sorts our floors into three different categories. It gives you an idea of how your floor will look. Quick-Step Oak flooring is available in 1 of 3 grades:



Nature

Wood with small knots. Light variation in colour and structure.



Marquant

Wood with large knots. Lively variation in colour and structure.



Vibrant

Wood with large knots and small cracks. Lively variation in colour and structure with a rustic appearance.

COLOUR	Natural colour	Lively variation	Lively variation
	All sapwood is colour stained to match the general colour tone of the floor.	All sapwood is colour stained to match the general colour tone of the floor.	All sapwood is colour stained to match the general colour tone of the floor.
	Max. 20 mm (fully filled)	Max. 50 mm (half or fully filled)	Max. 80 mm (half or fully filled)
	Not allowed	Not allowed	
SAPWOOD			
KNOTS			
CRACKS			

Treatment



Brushed Deep Brushed

Brushing accentuates the natural grain structure of the wood plank and adds depth.



Saw cuts

Random saw marks show the craftsmanship and character of the wood planks.



Timeworn

Sloping, slightly worn edges create an aged look.



Natural knots

On some floors the knots are not fully filled. Some of them are even manually sanded to emphasize the liveliness of the wood.



Reclaimed look

Our Variano floors are designed with a reclaimed look: showing saw cuts, height differences and small gaps. See p. 23.



Design colours

By using different treatment techniques such as fuming and staining, each plank has a unique colour.

READYFLOR

Beautiful Australian timber
Grading per AS2796 standard and better

GMRF22
220 x 19 cm ≙ 14 mm



 
BLACKBUTT 3 STRIP
GMRF22BBTH

GMRF18
182 x 18.6 cm ≙ 14 mm



 
BLACKBUTT 2 STRIP
GMRF18BBTDP

GMRF18
182 x 13.4 cm ≙ 14 mm



 
BLACKBUTT 1 STRIP
GMRF18BBTSP

MBMRF18
182 x 13.4 cm ≙ 14 mm



  
MATT BRUSHED BLACKBUTT 1 STRIP
MBMRF18BBTSP



 
TASMANIAN OAK 3 STRIP
GMRF22TOH



 
TASMANIAN OAK 2 STRIP
GMRF18TODP



 
TASMANIAN OAK 1 STRIP
GMRF18TOSP



 
SPOTTED GUM 3 STRIP
GMRF22SGH



 
SPOTTED GUM 2 STRIP
GMRF18SGDP



 
SPOTTED GUM 1 STRIP
GMRF18SGSP



  
MATT BRUSHED SPOTTED GUM 1 STRIP
MBMRF18SGSP



 
JARRAH 3 STRIP
GMRF22JH*



 
JARRAH 2 STRIP
GMRF18JDP



 
JARRAH 1 STRIP
GMRF18JSP



 
SYDNEY BLUE GUM 3 STRIP
GMRF22SBGH*



 
SYDNEY BLUE GUM 2 STRIP
GMRF18SBGDP



 
SYDNEY BLUE GUM 1 STRIP
GMRF18SBGSP

* Subject to availability

MRF22
220 x 19 cm ≙ 14 mm



MERBAU 3 STRIP
MRF22MH

MRF18
182 x 18.6 cm ≙ 14 mm



MERBAU 2 STRIP
MRF18MDP

MRF18
182 x 14.5 cm ≙ 14 mm



MERBAU 1 STRIP
MRF18MSP

READYFLOR XL

The widest & longest Australian timber planks
Grading per AS2796 standard and better

RFXL
220 x 18.6 cm ≙ 14 mm



MATT BRUSHED BLACKBUTT 1 STRIP*
RFXLBBTSP



MATT BRUSHED SPOTTED GUM 1 STRIP*
RFXLGSP



GMRF18SBGSP

Treatment: Brushed Deep brushed Saw cuts Timeworn Natural knots Reclaimed look Design colours

Finishing: Extra matt Matt Low sheen Gloss | Bevels:

PALAZZO

Elegant oak planks

PAL
182 x 19 cm ≡ 14 mm



FROZEN OAK EXTRA MATT
PAL3562
VIBRANT



PURE OAK MATT
PAL1341
NATURE



VINTAGE OAK MATT
PAL1344
MARQUANT



WINTER STORM OAK EXTRA MATT
PAL3842
MARQUANT



METALLIC OAK EXTRA MATT
PAL4118
VIBRANT



FOSSIL OAK MATT
PAL1342
NATURE



LIMED GREY OAK MATT
PAL1345
MARQUANT



OLD GREY OAK MATT
PAL1346
MARQUANT



CLAY BROWN OAK EXTRA MATT
PAL4117
VIBRANT



Mocca OAK MATT
PAL1348
MARQUANT



PAL1346



Remember that every wood floor is different, and will always vary from any images or samples in colour grain and features. The illustrated patterns and colours are only an image and not a full overview of all the different nuances within the natural unique design of a wood floor. For a representative view of the surface structure and variation of a plank, take a look at the big samples on display and ask your retailer for more advice.

VARIANO

Unique planks with a reclaimed look and pattern

VAR
220 x 19 cm ≙ 14 mm



PAINTED WHITE OAK EXTRA MATT
VAR3445H
MARQUANT



CHAMPAGNE BRUT OAK EXTRA MATT
VAR3446H
MARQUANT



ROYAL GREY OAK EXTRA MATT
VAR3447H
MARQUANT



ESPRESSO BLEND OAK EXTRA MATT
VAR3448H
MARQUANT

COMPACT

Planks with a renovation friendly thickness

COM (OAK)
182 x 14.5 cm ≙ 12.5 mm

***COM (AUSTRALIAN)**
182 x 13 cm ≙ 12.5 mm



WINTRY FOREST OAK EXTRA MATT
COM3845
MARQUANT



CREAMY WHITE OAK EXTRA MATT
COM3851
MARQUANT



PURE OAK EXTRA MATT
COM3849
MARQUANT



NATURAL OAK EXTRA MATT
COM3844
MARQUANT




CLIFF GREY OAK EXTRA MATT
COM3850
MARQUANT



SLATE GREY OAK EXTRA MATT
COM3846
MARQUANT



BLACKBUTT
COM3858
PER AS2796 STANDARD AND BETTER



SPOTTED GUM
COM3859
PER AS2796 STANDARD AND BETTER

Treatment: Brushed Deep brushed Saw cuts Timeworn Natural knots Reclaimed look Design colours

Finishing: Extra matt Matt Low sheen Gloss | Bevels:

STEP 1 INSTALLATION

Install your floor without a hassle!

Laying a Quick-Step floor is so easy thanks to the patented world-famous Uniclic® Multifit click system. This system is highly user-friendly, quicker to install and a lot more solid than other systems. A Quick-Step floor makes installation easy, even in the tightest corners or under doors.

1 Effortless installation, thanks to the Uniclic® Multifit click system

Quick-Step is the inventor of the Uniclic® Multifit installation system, today the standard click-to-install system. Use this revolutionary and patented click system to effortlessly click your floor planks together.



2 Install your floor anywhere, even on floor heating

Quick-Step Timber floors are perfect for installing over floor heating when combined with the right underlay. Some species are not suitable, see page 18.

3 Watch the videos

See for yourself how easy it is to install a Quick-Step floor in our installation videos. Discover them on www.quick-step.com.au.

Installation tools

Install your timber floor in an easy and professional way with the handy Quick-Step installation tools.



Quick-Step® HANDSAW

Handy handsaw used to undercut door frames.



Quick-Step® INSTALLATION KIT

Includes a special Uniclic® tapping block, pulling tool and spacing wedges.



For a perfect installation, check out the installation videos on www.quick-step.com.au



Underlay is not an idle luxury



CLICK on timber

Installing your timber floor is easy thanks to the patented Uniclic® Multifit click system. A good underlay has a major impact on the final look, walk sound, quality and comfort of your Quick-Step Timber floor.

- Maintain their initial thickness over the years and provide excellent acoustic insulation, keeping your floor quieter underfoot.
- Levels and helps to prevent small irregularities.
- Comes with a self-adhesive strip and a pre-integrated damp proof membrane (DPM) which protects your floor from rising damp, with a water vapour resistance of greater than $SD > 75m$, meeting all European recommendations.
- Suitable for floor heating and/or cooling.
- Offers a stable base which supports your floor in instances of dropped items or temporary heavy loads.



Quick-Step® COMBI-LAY STANDARD

Contents:
1 roll = 20 or 50 m²
Thickness: 2 mm

Combi-Lay Standard is no normal underlay. The dense, closed cell polyolefin foam provides excellent support, with good reduction of both reflected and impact noise.



Quick-Step® QUIET-STEP COMBI-LAY

Contents:
1 roll = 20 or 50 m²
Thickness: 2 mm

Quiet-Step Combi-Lay is the first choice where a quiet walking sound and maximum reduction in multi-storey noise is required. This high density underlay has no match when it comes to reducing foot fall noise, with a reduction of up to 30% over standard underlays. Ideal for installation in multi-storey apartments where noise transfer can be an issue.



For the best results always start with a level subfloor. Make sure it's completely dry as well. **For more advice about preparing your subfloor, visit www.quick-step.com.au or your local Quick-Step retailer.**



GLUE

Quick-Step Timber can also be glued down using Quick-Step Parquet Adhesive.

- Spreads easily and guarantees great adhesion.
- Suitable for floor heating and/or cooling.

Please note: Contact your Quick-Step retailer for more details on gluing a Quick-Step Timber floor.



STEP 2 FINISHING

Finish beautifully

Finish your floor beautifully with the Quick-Step scotia and profiles.


Finishing profiles for floor and stairs

Quick-Step's Incizo® profile is a multifunctional finishing tool. The same profile can be used for all the finishes of your floor and stairs, in the matching colour. Simply cut the Incizo® basic profile to the shape required using the special cutter supplied in every Incizo pack.

Quick-Step® Incizo®: five questions, one answer



1 How can I join two floors of the same height?




Use the Incizo® profile cut as an expansion profile.

2 How can I solve variations in height from one floor to another?




Use the Incizo® profile cut as an adapter profile.

3 How do I finish my floor along a wall or a window?



Use the Incizo® profile cut as an end profile.

4 How can I connect my floor to a carpet, and have a beautiful finish?



Use the Incizo® profile cut as a transition profile.




COM3845



For safety reasons, always glue the floor panels on the stairs of your staircase.

5 What about the finishing of my stairs?

You can cover your stairs or steps with Quick-Step planks and finish in the style of your choice using the Incizo® profile as a stair nose. Remember to order the Incizo aluminium sub-profile for stair installations.



Quick-Step®
INCIZO® PROFILE
QSWINCP(-)
215 cm x 5.4 cm x 1.7 cm
Contents: 1 Incizo®, 1 cutter, 1 plastic rail, screws and plugs

Quick-Step®
INCIZO® ALUMINIUM SUB-PROFILE FOR STAIRS
NEWINCPBASE(-)
215 cm x 1.9 cm x 7.35 cm
To be ordered separately.
The Incizo® stairs finishing cannot be used for commercial applications.



Discover our installation videos on www.quick-step.com.au

Scotia



QSFWSCOT(-)



Quick-Step®
SCOTIA
240 x 1.7 x 1.7 cm

The veneer timber scotia is perfect for covering expansion gaps along skirting boards.

Skirting



NEW

QSFLEXSKR

Quick-Step®
FLEXIBLE SKIRTING
700 x 1.4 x 4 cm (to be cut to the desired length)

A beautiful finish for round pillars or curved walls.

STEP 3 CLEANING

Keep your floor in top condition

Clean



Quick-Step® CLEANING KIT QSCLEANINGKIT

Contents: mop holder, washable microfibre mop, Quick-Step Cleaning product 750ml

All Quick-Step cleaning products are specifically developed for Quick-Step floors. They cleanse the floor surface thoroughly and maintain the original look of your floor. No residual layers of cleaning product are left behind. Naturally, wood flooring will mark and scratch when items are dragged across or dropped onto the surface. However proper maintenance will keep your floor looking better for longer.

Also available separately:
Quick-Step®
CLEANING PRODUCT
QSCLEANING750



Repair



Quick-Step® REPAIR KIT QSREPAIR

Contents: melting knife, cleaning comb, 7 wax blocks, sanding pad

Light damages can easily be repaired in the original colour with the Repair Kit. Simply recreate the colour of your damaged planks with one of the seven wax pieces selected to cover all Quick-Step colours. Check the specific colour combination for your floor on www.quick-step.com.au




Watch our repair movie showcasing how to repair your timber floor.



Tips to keep your floor in top condition: Placing dirt trapping mats at external entrances and felt floor protectors under all furniture is recommended. Where possible, use rubberised castors and wheels designed for hard flooring and vinyl chair mats under castor wheels and office chairs. Remove small stones and grit with a soft bristle broom or vacuum to help prevent scratching. Quick-Step Timber should also be protected from excessive heat and sunlight. The use of steam mops and stiletto heels should also be avoided at all times. For regular maintenance, use the Quick-Step Timber Cleaning Kit for best results. (For full maintenance guidelines go to www.quick-step.com.au)

There is no substitute for quality




When looking at any pre-finished timber floor it is important to pay serious attention to the wear resistance of the coatings used. After all, it is the coating that will afford protection to the timber surface of your floor and the better the quality of the finish used, the longer your floor will look its very best.

Wear resistance, or abrasion resistance, is tested using a taber abrasion machine that simulates day to day wear of the coating system. Taber testing is universally recognised as the best testing method to evaluate the wear performance of a floor covering. In essence, the better the abrasion resistance, the longer your floor will hold its initial gloss level and the longer the coating will last before wearing through to raw timber.

Most competitors use a standard "off the shelf" finish that wears reasonably well, but that's simply not good enough for the designers at Quick-Step.

SRT Finish is a specifically formulated, high performance lacquer that has been developed in Europe and used on all lacquered Quick-Step Timber floors. Laboratory tests clearly demonstrate that Quick-Step's SRT Finish outperforms the competitors, ensuring that when you choose a Quick-Step floor, you are selecting a timber floor with only the best available pre-finished coatings available. What's more, SRT is able to be re-coated using a wide selection of local finishes, meaning trouble free maintenance when it comes time to replenish the coated surface of your floor in years to come.

A heart for nature



Wood is one of very few renewable source material for floor coverings and for many years Quick-Step has gone the extra mile to limit the environmental impact of its activities. All the wood used to manufacture our engineered wooden floors is sourced from sustainably managed forests. Moreover, our glue and lacquer meet the strictest international emission norms and we only work with efficient and durable production processes. All of this means you can simply enjoy your wooden floor knowing it was made with respect for the environment and your family's health.

- ☑ More than 75% recycled, sustainable wood
- ☑ We use carefully screened raw materials
- ☑ We invest in energy-efficient production

Matching Accessories Guide

Flawlessly matching accessories are available in all Quick-Step timber products. Quick-Step is committed to perfecting all aspects of flooring by meticulously colour-matching trims and profiles for all applications including stairs across all timber ranges.

Product code	Product description	Quick-Step Scotia More info see page 27	Quick-Step Incizo® More info see page 26-27
--------------	---------------------	--	--


ReadyFlor 1-strip

	GMRF18BBTSP	BLACKBUTT	QSWSCOT01871	QSWINCP01871
	GMRF18TOSP	TASMANIAN OAK	QSWSCOT01874	QSWINCP01874
	GMRF18SGSP	SPOTTED GUM	QSWSCOT01872	QSWINCP01872
	GMRF18JSP	JARRAH	QSWSCOT01873	QSWINCP01873
	GMRF18SBGSP	SYDNEY BLUE GUM	QSWSCOT01875	QSWINCP01875
	MBMRF18BBTSP	MATT BRUSHED BLACKBUTT	QSWSCOT01865	QSWINCP01865
	MBMRF18SGSP	MATT BRUSHED SPOTTED GUM	QSWSCOT01866	QSWINCP01866
	MRF18MSP	MERBAU	QSWSCOT01357	QSWINCP01357

ReadyFlor 2-strip

	GMRF18BBTDP	BLACKBUTT	QSWSCOT01871	QSWINCP01871
	GMRF18TODP	TASMANIAN OAK	QSWSCOT01874	QSWINCP01874
	GMRF18SGDP	SPOTTED GUM	QSWSCOT01872	QSWINCP01872
	GMRF18JDP	JARRAH	QSWSCOT01873	QSWINCP01873
	GMRF18SBGDP	SYDNEY BLUE GUM	QSWSCOT01875	QSWINCP01875
	MRF18MDP	MERBAU	QSWSCOT01357	QSWINCP01357

ReadyFlor 3-strip

	GMRF22BBTH	BLACKBUTT	QSWSCOT01871	QSWINCP01871
	GMRF22TOH	TASMANIAN OAK	QSWSCOT01874	QSWINCP01874
	GMRF22SGH	SPOTTED GUM	QSWSCOT01872	QSWINCP01872
	GMRF22JH	JARRAH	QSWSCOT01873	QSWINCP01873
	GMRF22SBGH	SYDNEY BLUE GUM	QSWSCOT01875	QSWINCP01875
	MRF22MH	MERBAU	QSWSCOT01357	QSWINCP01357

ReadyFlor XL 1-strip

	RFXLBBTSP	BLACKBUTT	QSWSCOT01865	QSWINCP01865
	RFXLSGSP	SPOTTED GUM	QSWSCOT01866	QSWINCP01866

Product code	Product description	Quick-Step Scotia More info see page 27	Quick-Step Incizo® More info see page 26-27
--------------	---------------------	--	--


Palazzo

	PAL1341	PURE OAK MATT	QSWSCOT01341	QSWINCP01341
	PAL1342	FOSSIL OAK MATT	QSWSCOT01342	QSWINCP01342
	PAL1344	VINTAGE OAK MATT	QSWSCOT01344	QSWINCP01344
	PAL1345	LIMED GREY OAK MATT	QSWSCOT01345	QSWINCP01345
	PAL1346	OLD GREY OAK MATT	QSWSCOT01346	QSWINCP01346
	PAL1348	MOCCA OAK MATT	QSWSCOT01348	QSWINCP01348
	PAL3562	FROZEN OAK EXTRA MATT	QSWSCOT03562	QSWINCP03562
	PAL3842	WINTER STORM OAK EXTRA MATT	QSWSCOT03842	QSWINCP03842
	PAL4117	CLAY BROWN OAK EXTRA MATT	QSWSCOT04117	QSWINCP04117
	PAL4118	METALLIC OAK EXTRA MATT	QSWSCOT04118	QSWINCP04118

Variano

	VAR3445H	PAINTED WHITE OAK EXTRA MATT	QSWSCOT01629	QSWINCP01629
	VAR3446H	CHAMPAGNE BRUT EXTRA MATT	QSWSCOT01630	QSWINCP01630
	VAR3447H	ROYAL GREY OAK EXTRA MATT	QSWSCOT01631	QSWINCP01631
	VAR3448H	ESPRESSO BLEND OAK EXTRA MATT	QSWSCOT01632	QSWINCP01632

Compact

	COM3844	NATURAL OAK EXTRA MATT	QSWSCOT01334	QSWINCP01334
	COM3845	WINTER FOREST OAK EXTRA MATT	QSWSCOT01340	QSWINCP01340
	COM3846	SLATE GREY OAK EXTRA MATT	QSWSCOT03846	QSWINCP03846
	COM3849	PURE OAK EXTRA MATT	QSWSCOT01341	QSWINCP01341
	COM3850	CLIFF GREY OAK EXTRA MATT	QSWSCOT03017	QSWINCP03017
	COM3851	CREAMY WHITE OAK EXTRA MATT	QSWSCOT03098	QSWINCP03098
	COM3858	BLACKBUTT	QSWSCOT01865	QSWINCP01865
	COM3859	SPOTTED GUM	QSWSCOT01866	QSWINCP01866

Timber

COLLECTION 2018 - 2019



Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on www.quick-step.com.au



Choose a Quick-Step® Master Installer

Once you have chosen the perfect Quick-Step floor, your installation is the next important step. Choose a Quick-Step Master Installer who will install your floor to the highest standard and with the necessary attention to detail it deserves. Even more, the Quick-Step Master Installers offer a lifetime installation warranty. Find a Master Installer in your area on www.quick-step.com.au



Quick-Step® is brought to you by Premium Floors Australia

New South Wales	Tel.: (02) 9982 3777
Victoria & Tasmania	Tel.: (03) 9798 0808
Queensland	Tel.: (07) 3273 3111
South Australia & Northern Territory	Tel.: (08) 8262 8666
Western Australia	Tel.: (08) 9240 1966
Commercial division	Tel.: (03) 9798 0808

Your Quick-Step® point of sale



www.quick-step.com.au

FOLLOW US ON

www.facebook.com/QuickStepFloors www.youtube.com/quickstepfloor www.youtube.com/PremiumFloorsAU
 plus.google.com/+quickstep www.pinterest.com/quickstepfloor [@QuickStepFloor](https://twitter.com/QuickStepFloor)

Quick-Step® is a quality product produced by UNILIN bvba – division Flooring, Ooigemstraat 3, B-8710 Wielsbeke, Belgium, Europe. COVERPHOTO PAL3562.
Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice.
Content © 2018-2019 by UNILIN bvba – division Flooring.
All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.