




NORSE
OSLO PLANKS



INSPIRED BY THE DRAMATIC TONES OF THE NORDIC LANDSCAPE

SKANDI 100 NORSE 054



A NEW PERSPECTIVE ON
SCANDINAVIAN DESIGN

NORSE 106, 107, 060



NORSE RAE 900PL **NORSE SOREN** 800PL **NORSE LUND** 700PL **NORSE LARZ** 600PL **NORSE STEN** 500PL **NORSE ESKEL** 400PL **NORSE OSKAR** 300PL **NORSE JAX** 200PL **NORSE DYLAN** 100PL



NORSE MATHIAS 019PL **NORSE FREYA** 033PL **NORSE ERIKA** 060PL **NORSE INGRID** 107PL **NORSE BRITTA** 106PL **NORSE INGE** 022PL **NORSE LENA** 023PL **NORSE AME** 035PL **NORSE GRETA** 054PL **NORSE KARI** 082PL

SPECIFICATIONS

product	norse
construction	high loop, low cut
yarn/fibre	solution dyed nylon
pile weight	850g/m ²
pile height	4mm
gauge	1/10"
plank size	250mm x 1000mm
total thickness	7.5mm
carton size	5m ²
total weight	5.2kg/m ²
dimensional stability	<0.15%
backing	Thermo Bak™
electrostatic propensity	<3.0kv
fire rating ISO 9239.1	>4.5kw/m ² critical radiant flux
recommended adhesive	RLA Polymers GS300
installation method	ashlar, herringbone
availability	in stock
Comfi Bak® option	50m ² min
customise Shapes™	50m ² min
traffic	extra heavy duty commercial
warranty	15 year limited
fire	suitable all areas
stain/soil	Ultra Gard (thermo chemical treatment)
sustainability	GreenTag® Green Rate Level A EPDs and Declare labels WELL eligible



Our manufacturing process ensures no two planks are the same. Please note that there may be batch variations from different dye lots.
Comfi Bak® - optional backing for enhanced comfort. 50m² minimum order applies. Available in Shapes by Signature®. 50m² minimum order applies.

FRONT COVER: NORSE 067



NORSE ROLF 067PL **NORSE JAKOB** 108PL **NORSE BERGEN** 105PL **NORSE AAREN** 004PL **NORSE OLAF** 071PL **NORSE HENRIK** 104PL **NORSE TAIT** 102PL **NORSE HALDEN** 103PL **NORSE LEIF** 045PL **NORSE NILSEN** 002PL



NORSE 108, 105, 102, MALMO 700

Signature[®]
floorconcepts

au 1800 150 554
nz 0800 150 555
signaturefloors.com.au
signaturefloors.co.nz

Limitations of the printing process
may not represent the actual colour
of the product. Please refer to
samples for final colour selection.

Terms & conditions: Specifications are subject to manufacturing tolerances and may be changed without prior notice. Product may vary in colour from sample and between production lots. All product purchases are subject to Signature Floorcoverings Standard Terms & Conditions of Sale. Please refer to our Technical Information Manual, Maintenance Guide & Warranty Guide for further clarification. © Signature Floors 06/2020

See detailed installation guidelines & warranty info online.